

Nonresidential forms can be found here: [energycodeace.com/nonresidentialforms](http://energycodeace.com/nonresidentialforms)

Before starting the NRCC-LTS-E on a project, make sure to use a compatible PDF viewer, such as Adobe Acrobat Reader 2017.



**CERTIFICATE OF COMPLIANCE**

NRCC-LTS-E

This document is used to demonstrate compliance with requirements in §110.9, §110.12, §130.0, §130.3, §140.8, and §141.0(b)2M for sign lighting scopes using the prescriptive path. Exit signs and traffic signs are not required to comply with prescriptive requirements per exceptions to §140.8 and do not need to complete this compliance document.

Project Name: NRCC-LTS-E New Multi-tenant Marquee Illuminated Sign Report Page: Page 1 of 4  
 Project Address: 1234 Any Pl Date Prepared: 8/31/2020

**A. GENERAL INFORMATION**

01	Project Location (city)	San Jose
02	Climate Zone	4
03	<input type="checkbox"/> Building is a healthcare facility	

**B. PROJECT SCOPE**

Selections in table B will trigger other applicable tables throughout this form.

Hover over these ? in the NRCC dynamic forms to get helpful tips when filling out the form.

Table Instructions: Include any illuminated signs that are within the scope of the permit application and are demonstrating compliance using the prescriptive path outlined in §140.8 or §141.0(b)2M for alterations. Exit signs and traffic signs are not required to comply with prescriptive requirements per exceptions to §140.8 and do not need to complete this compliance document. WARNING: Changing the Compliance Method in this table will result in the deletion of data previously input. If you need to change the compliance method, please open a new form or use "Save As".

01	02	03	04	05
Name or Item Tag	Complete Sign Description	Sign Status <sup>1</sup>	Sign Type	Compliance Method <sup>2</sup>
Sign	Multi-tenant Marquee Sign	New	Outdoor	Max Allowed Lighting Power

Continue to add sign lighting systems to document all that are in your project.

Add Sign Lighting System

Remove Last Sign Lighting System

<sup>1</sup>FOOTNOTE: Sign alterations that increase the connected lighting load, replace and rewire more than 50% of the ballasts, or relocate the sign to a different location must comply with §140.8. See §141.0(b)2M for more details.

<sup>2</sup>The ENERGY VERIFIED Label compliance method is only applicable if the sign has a permanent, factory-installed, ENERGY VERIFIED label certified by UL or comparable, confirming the sign complies with §140.8. Note that using an ENERGY VERIFIED label is an optional compliance path, not a mandatory requirement. See the tool tips for this table for more details.

**C. COMPLIANCE RESULTS**

Table C will be consistent on all forms and shows what the compliance results are as the form is filled out.

Table Instructions: If any cell on this table says "DOES NOT COMPLY" or "COMPLIES with Exceptional Conditions" refer to Table D. for guidance.

01	02	03	04	05	06	07
Name or Item Tag	Complete Sign Description	Total Allowed (Watts)	Total Designed (Watts)	Compliant Light Sources	ENERGY VERIFIED Label	Compliance Results
(See Table B)	(See Table B)	(See Table F)	(See Table F)	(See Table G)	(See Table H)	
Sign	Multi-tenant Marquee Sign	1,152	1,080	OR	OR	COMPLIES
Controls Compliance (See Table F/G/H for Details)						COMPLIES

There are multiple ways to show compliance for Sign Lighting. In this example, there is less total designed watts than total allowed, meeting compliance.

Compliance at the project level must be verified in column 07 at the end of completing this form in order to comply with the Energy Code.



CERTIFICATE OF COMPLIANCE		NRCC-LTS-E
Project Name:	NRCC-LTS-E New Multi-tenant Marquee Illuminated Sign	Report Page: Page 2 of 4
Project Address:	1234 Any Pl	Date Prepared: 8/31/2020

**D. EXCEPTIONAL CONDITIONS**

*This table is auto-filled with uneditable comments because of selections made or data entered in tables throughout the form.*

No exceptional conditions apply to this project.

**E. ADDITIONAL REMARKS**

*This table includes remarks made by the permit applicant to the Authority Having Jurisdiction.*

Place any comments for the Building Official here.

**F. MAXIMUM ALLOWED LIGHTING POWER AND CONTROLS**

*Table Instructions: Complete this table for illuminated signs using the Maximum Allowed Lighting Power compliance method per §140.8(a) as indicated on Table B of this compliance document. Also demonstrate compliance with mandatory controls requirements from §130.3 by indicating control types for each sign.*

01	02	03	04	05	06	07	08	09
Name or Item Tag	Complete Sign Description	Illumination Method	Sign Area (ft <sup>2</sup> )	Allowed Density (W/ft <sup>2</sup> )	Allowance (Watts)	Design Watts	Mandatory Controls	Field Inspector
Sign	Multi-tenant Marquee Sign	Internally	96	12	1,152	1,080	Shut-Off Auto Timer + Photocontrol Pwr. reduced 65%+	Pass Fail
							Dimming Demand Response <sup>1</sup>	<input type="checkbox"/> <input type="checkbox"/>

*\*NOTE: Controls with a \* require a note in the space below explaining how compliance is achieved.  
EX: Sign within tunnel illuminated day & night; EXCEPTION to §130.3(a)2A.*

<sup>1</sup> FOOTNOTES: Demand response controls are only required for an Electronic Message Center having a new connected lighting power load greater than 15 kW per §110.12(d).

There are code section links throughout the dynamic form for you to reference.

If you are inputting "Other" or "Exempt" in column 08, a box will populate for you to provide more information to the Building Official or contractor.

**G. LIGHT SOURCES AND CONTROLS**

*This Section Does Not Apply*

**H. ENERGY VERIFIED LABELED SIGNS AND CONTROLS**

*This Section Does Not Apply*



## CERTIFICATE OF COMPLIANCE

NRCC-LTS-E

Project Name: NRCC-LTS-E New Multi-tenant Marque Illuminated Sign

Report Page:

Page 3 of 4

Project Address: 1234 Any Pl

Date Prepared:

8/31/2020

**I. DECLARATION OF REQUIRED CERTIFICATES OF INSTALLATION**

*Table Instructions: Selections have been made based on information provided in previous tables of this document. If any selection needs to be changed, please explain why in Table E. Additional Remarks. These documents must be provided to the building inspector during construction and can be found online at [https://www.energy.ca.gov/title24/2019standards/2019\\_compliance\\_documents/Nonresidential\\_Documents/NRCI/](https://www.energy.ca.gov/title24/2019standards/2019_compliance_documents/Nonresidential_Documents/NRCI/)*

YES	NO	Form/Title	Field Inspector				
<input checked="" type="radio"/>	<input type="radio"/>	NRCI-LTS-01-E - Must be submitted for all buildings.	<table border="1"> <tr> <td>Pass</td> <td>Fail</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </table>	Pass	Fail	<input type="checkbox"/>	<input type="checkbox"/>
Pass	Fail						
<input type="checkbox"/>	<input type="checkbox"/>						

Every project which requires an NRCC-LTS form will also require an NRCI-LTS-01-E form. This form is completed by the installer and given to the inspector.

**J. DECLARATION OF REQUIRED CERTIFICATES OF ACCEPTANCE**

*There are no Certificates of Acceptance applicable to sign lighting requirements.*

After completing the signature block, print the form to PDF to make it "static" and put it on the planelt, or send to the responsible person for their signature.  
Be sure to save a copy of the dynamic form in case any edits need to be made.

Project Name: NRCC-LTS-E New Multi-tenant Marque Illuminated Sign	Report Page: Page 4 of 4
Project Address: 1234 Any Pl	Date Prepared: 8/31/2020

<b>DOCUMENTATION AUTHOR'S DECLARATION STATEMENT</b>	
I certify that this Certificate of Compliance documentation is accurate and complete	
Documentation Author Name:	Documentation Author Signature:
Company:	Signature Date:
Address:	CEA/ HERS Certification Identification (if applicable):
City/State/Zip:	Phone:
<b>RESPONSIBLE PERSON'S DECLARATION STATEMENT</b>	
I certify the following under penalty of perjury, under the laws of the State of California:	
<ol style="list-style-type: none"> <li>1. The information provided on this Certificate of Compliance is true and correct.</li> <li>2. I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance (responsible designer)</li> <li>3. The energy features and performance specifications, materials, components, and manufactured devices for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations.</li> <li>4. The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application.</li> <li>5. I will ensure that a completed signed copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections. I understand that a completed signed copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy.</li> </ol>	
Responsible Designer Name:	Responsible Designer Signature:
Company :	Date Signed:
Address:	License:
City/State/Zip:	Phone:

For more training on the NRCC forms, visit Energy Code Ace for Decoding Talks:

**2019 Dynamic Form Introduction Series:** [youtube.com/playlist?list=PLVH9EjKDaO5IMvxYJg2oDwq2B3wjJTQ1](https://www.youtube.com/playlist?list=PLVH9EjKDaO5IMvxYJg2oDwq2B3wjJTQ1)

**Decoding NRCC: Let's Talk 2019 Nonresidential Dynamic Forms Handout and Recording:** [energycodeace.com/content/training-ace/courseId=35705](https://energycodeace.com/content/training-ace/courseId=35705)